





Rough-In Requirement: 29 mm Mounting Hole

MODEL / PRODOTTO


360CA.R040

PRODUCT COMPLIANCE:

REACH 1907/2006;  
BWGL UBA verified by DVGW CERT third-part  
EXCEPT BLUE SPRAY GUN

TITLE / DESCRIZIONE


SHRINK 60 Pre-Rinse Unit with add-on faucet with 360° rotation. Single hole, deck mount mixing faucet. Brass, chrome plated. 50mm-long mounting shaft, G3/8" female inlets with check valves. Ø40 ceramic cartridge with LCL lever, PISA model. Riser pipe in stainless steel. 4 l/min spray valve. Variant CHROME/INOX/BLUE



| SALES NO.       | DESCRIPTION                                                                    |
|-----------------|--------------------------------------------------------------------------------|
| 0P.P635/'color' | S/S SHRINK 60 Spring (specify the the ring color)                              |
| 0P.F153.00.00   | Spiral wound Stainless Steel Flexible Hose L. 60cm F1/2 F1/2                   |
| 0E.P007.00.00   | EUROP Pre-Rinse Unit spring support                                            |
| 0P.P610         | FLAT GASKET 1/2" Ø18,5x11 sp.3mm                                               |
| 0P.P715/'color' | Low flow Spray Valve for SHRINK Pre-Rinse Unit (4 l/min) - (specify the color) |
| 0P.P580         | SHRINK Spray Gun Hook (chrome-plated brass)                                    |
| 0P.P606.D1.DT   | SHRINK60 riser pipe with Add-On Tap                                            |
| 0P.HTC/color    | TOP handle (specify the color B or R)                                          |
| 0P.VD0/D        | 3/8" CERAMIC HEADWORK0 (RH)                                                    |
| 0P.P626         | 5 l/min aerator for Ø20 spout                                                  |
| 0P.P076.00.00   | O-RING 2062 (Ø15.6x1.78), EPDM 70 PEROX                                        |

TITLE / DESCRIZIONE

## Pre-Rinse Unit, spray valve, supports, and swivel nozzle SPARE PARTS




| SALES NO. | DESCRIPTION                                                          |
|-----------|----------------------------------------------------------------------|
| 0P.VP0    | Cartridge Ø40mm for PISA handle                                      |
| 0P.P615   | Copper Pipe L. 115mm with O-R (for flex. Hose)                       |
| 0P.P617   | Copper Pipe L. 210mm with O-R (for flex. Hose)                       |
| 0P.H047   | Side Lever (PISA Model)                                              |
| 0P.F181   | S/Steel flex.hose DN6 L. 35cm m10x1 (short) F G 3/8 with check valve |
| 0P.P327   | Flat Gasket 3/8" Fasit Omnia                                         |

TITLE / DESCRIZIONE


## BODY FAUCET, INLETS AND LEVER SPARE PARTS

| SALES NO.     | DESCRIPTION                                                 |
|---------------|-------------------------------------------------------------|
| 0P.V0DT/R     | KIT: 3/8" ceramic headwork (right) + TOP handle (RED index) |
| 0P.P069.00.00 | Bench-mounting kit for 3/4"shaft: flange nut + washer       |

0P.V0DT/R



0P.P069.00.00



TITLE / DESCRIZIONE

## REPLACEMENT KIT