





Rough-In Requirement: 29 mm Mounting Hole

MODEL / PRODOTTO
380CN.R040
PRODUCT COMPLIANCE:

REACH 1907/2006;
 BWGL UBA verified by DVGW CERT third-part

TITLE / DESCRIZIONE


SHRINK 80 Pre-Rinse Unit with add-on faucet with 360° rotation, 5 l/min aerator. Single hole, deck mount mixing faucet. Brass, chrome plated. 50mm-long mounting shaft, G3/8" female inlets with check valves. Ø40 ceramic cartridge with LCL lever, PISA model. Riser pipe in stainless steel. 4 l/min spray valve. Variant CHROME/INOX/BLACK



SALES NO.	DESCRIPTION
0P.P511/'color'	S/S Riser spring for SHRINK 80 with colored ring (specify the color)
0P.P510	Spiral wound S/S Flexible Hose L. 82cm F1/2 F1/2
0E.P007.00.00	EUROP Pre-Rinse Unit spring support
0P.P625.D2.DT	SHRINK 80 Riser pipe with Add on Faucet
0P.P580	SHRINK Spray Gun Hook (chrome-plated brass)
0P.P610	FLAT GASKET 1/2" Ø18,5x11 sp.3mm
0P.HTC/color	TOP handle (specify the color B or R)
0P.VD0/D	3/8" CERAMIC HEADWORK0 (RH)
0P.P715/'color'	Low flow Spray Valve for SHRINK Pre-Rinse Unit (4 l/min) - (specify the color)
0P.P626	5 l/min aerator for Ø20 spout
0P.P076.00.00	O-RING 2062 (Ø15.6x1.78), EPDM 70 PEROX

TITLE / DESCRIZIONE

Pre-Rinse Unit, spray valve, supports, and swivel nozzle SPARE PARTS




SALES NO.	DESCRIPTION
0P.VP0	Cartridge Ø40mm for PISA handle
0P.P615	Copper Pipe L. 115mm with O-R (for flex. Hose)
0P.P617	Copper Pipe L. 210mm with O-R (for flex. Hose)
0P.H047	Side Lever (PISA Model)
0P.F181	S/Steel flex.hose DN6 L. 35cm m10x1 (short) F G 3/8 with check valve
0P.P327	Flat Gasket 3/8" Fasit Omnia

TITLE / DESCRIZIONE


BODY FAUCET, INLETS AND LEVER SPARE PARTS

SALES NO.	DESCRIPTION
0P.V0DT/R	KIT: 3/8" ceramic headwork (right) + TOP handle (RED index)
0P.P069.00.00	Bench-mounting kit for 3/4"shaft: flange nut + washer

0P.V0DT/R



0P.P069.00.00



TITLE / DESCRIZIONE

REPLACEMENT KIT